

# USS Constitution



## Personnel Qualification Standards

### Damage Control

**FINAL QUALIFICATION****CONSTDC 43119-A**

BASIC DAMAGE CONTROL (QUAL 1) (WATCHSTATION 301- 305)

NAME \_\_\_\_\_ RATE/RANK \_\_\_\_\_

This page is to be used as a record of satisfactory completion of designated sections of the Personnel Qualification Standard (PQS). Only specified supervisors may signify completion of applicable sections either by written or oral examination, or by observation of performance. The examination or checkout need not cover every item; however a sufficient number should be covered to demonstrate the examinee's knowledge. Should supervisors give away their signatures, unnecessary difficulties can be expected in future routine operations.

Upon completion of QUAL 1, personnel shall be qualified to perform in the following functions:

Accessman	Messenger	Reflash Watchstander
Boundaryman	Overhaulman	Smoke
Controller / Remover		
Fire Watchstander	Plotter	Space Isolation
Detailer		
Hoseman	Plugman	

This qualification section is to be maintained by the trainee and updated to ensure awareness of remaining tasks.

The trainee has completed all PQS requirements for this qualification (WATCHSTATION 301 - 305). Recommended designation as qualified in BASIC DAMAGE CONTROL (CONDC 43119-A)

RECOMMENDED \_\_\_\_\_ DATE \_\_\_\_\_  
Division Officer

RECOMMENDED \_\_\_\_\_ DATE \_\_\_\_\_  
Training Officer (test)

RECOMMENDED \_\_\_\_\_ DATE \_\_\_\_\_  
Damage Control Assistant (DCA)

RECOMMENDED \_\_\_\_\_ DATE \_\_\_\_\_  
Department Head

QUALIFIED \_\_\_\_\_ DATE \_\_\_\_\_  
Commanding Officer or Designated Representative

**301 Damage Control Communication**

WATCHSTATION 301

301.1 PREREQUISITES

For optimum training effectiveness, the following PQS items should be completed prior to starting your assigned tasks but must be completed prior to final watchstation qualification.

301.1.1 Fundamentals from this PQS:

101 Damage Control Safety Precautions

Completed\_\_\_\_\_

(Qualifier & Date)

102 Damage Control Communications / Symbology

Completed\_\_\_\_\_

(Qualifier & Date)

112 Hazardous Material Control and Management  
Program

Completed\_\_\_\_\_

(Qualifier & Date)

113 Sight Conservation Program

Completed\_\_\_\_\_

(Qualifier & Date)

114 Hearing Conservation Program

Completed\_\_\_\_\_

(Qualifier & Date)

115 Heat Stress Control and Personnel Protection

Completed\_\_\_\_\_

(Qualifier & Date)

118 Respiratory Protection Program

Completed\_\_\_\_\_

(Qualifier & Date)

121 Equipment Tag Out Program

Completed \_\_\_\_\_  
(Qualifier & Date)

### **Damage Control Communications (con't)**

.2 System from this PQS:

201 Damage Control Communications

Completed \_\_\_\_\_  
(Qualifier & Date)

#### **301.2 TASKS**

For the tasks listed below:

- A. What are the steps of this procedure?
- B. What are the reasons for each step?
- C. What means of communications are used?
- D. Perform this task IAW Technical Manuals.

301.2.1 Obtain and inspect Damage Control Communications Equipment (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.2 Establish and test communications (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.3 Transmit messages using standard phraseology (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.4 Receive and record messages using standard damage control symbology (2 times)

- |   |                             |
|---|-----------------------------|
| _____<br>(Signature & Date)   | _____<br>(Signature & Date) |
| .5 Deliver an oral and a written message within your damage control repair station area (2 times) |                             |
| _____<br>(Signature & Date)   | _____<br>(Signature & Date) |
| .6 Plot emergencies using standard damage control symbology (2 times)                             |                             |
| _____<br>(Signature & Date)   | _____<br>(Signature & Date) |
| .7 Plot fire boundaries (2 times)   |                             |
| _____<br>(Signature & Date)   | _____<br>(Signature & Date) |

### **Damage Control Communications (con't)**

- |  |                             |
|--|-----------------------------|
| .8 Plot flooding boundaries (2 times)          |                             |
| _____<br>(Signature & Date)                    | _____<br>(Signature & Date) |
| .9 Plot smoke boundaries (2 times)             |                             |
| _____<br>(Signature & Date)                    | _____<br>(Signature & Date) |
| .10 Plot Fire Main System Casualties (2 times) |                             |
| _____<br>(Signature & Date)                    | _____<br>(Signature & Date) |

### **301.3 INFREQUENT TASKS**

- For the infrequent tasks listed below:
- A. What are the steps of this procedure?
  - B. What are the reasons for each step?
  - C. What means of communications are used?
  - D. Perform this task IAW Technical Manuals.

- 301.3.1 Reestablish communications upon evacuation of the damage control repair station (2 times)

---

(Signature & Date)

---

(Signature & Date)

- .2 Deliver an oral or a written message to and from  
Damage Control Central (2 times)

---

(Signature & Date)

---

(Signature & Date)

- .3 Deliver an oral or a written message between each  
designated damage control repair station (2  
times)

---

(Signature & Date)

---

(Signature & Date)

#### 301.4 ABNORMAL CONDITIONS

For the abnormal conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. What emergencies or malfunctions may occur  
immediate action is not taken?
- E. How does this condition affect other operations  
/ equipment / watchstation?
- F. Perform or simulate the corrective / immediate  
action for this abnormal condition?

#### **Damage Control Communications (con't)**

##### 301.4.1 Loss of communication (2 times)

---

(Signature & Date)

---

(Signature & Date)

- .2 Missing damage control communication equipment  
(2 times)

---

(Signature & Date)

---

(Signature & Date)

#### 301.5 EMERGENCIES - None to be discussed.

#### 301.6 WATCHES

Stand the following watches under qualified  
Supervision:

301.6.1 Messenger (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.2 Plotter (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

301.7 EXAMINATIONS (Optional except as required by  
TYCOM / ISIC, ETC.)

301.7.1 EXAMINATIONS Pass a written examination

\_\_\_\_\_  
(Signature & Date)

.2 EXAMINATIONS Pass an oral examination board

\_\_\_\_\_  
(Signature & Date)

## WATCHSTATION 302

### 302 Basic First Aid

#### 302.1 PREREQUISITES

Before starting your assigned tasks, complete the following:

##### 302.1.1 WATCHSTATION FROM THIS PQS:

301 Damage Control Communications

Completed \_\_\_\_\_  
(Qualifier & Date)

For optimum training effectiveness, the following PQS items should be completed prior to starting your assigned tasks, but must be completed prior to final watchstation qualification.

##### .2 FUNDAMENTAL FROM THIS PQS:

105 First Aid and Rescue

Completed \_\_\_\_\_  
(Qualifier & Date)

##### .3 SYSTEM FROM THIS PQS:

223 First Aid Boxes / Stretchers

Completed \_\_\_\_\_  
(Qualifier & Date)

##### .C1 BASIC FIRST AID CLASSROOM INSTRUCTIONAL COURSE

Completed \_\_\_\_\_  
(Qualifier & Date)

#### 302.2 TASKS

For the tasks listed below:

- A. What are the steps of this procedure?
- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communications are used?
- E. What safety precautions must be observed?
- F. What parameters / operating limits must be monitored?
- G. Perform or simulate this task IAW applicable OP.



302.2.1 Demonstrate patient evaluation procedures (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.2 Treat for shock (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

### **Basic First Aid (con't)**

.3 Control hemorrhage by direct pressure (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.4 Control hemorrhage by using pressure points (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.5 Apply a splint to a simple fracture (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.6 Apply a splint to a compound fracture (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.7 Treat a heat exhaustion casualty (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.8 Treat a heat stroke casualty (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.9 Treat a heat cramps casualty (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.10 Treat a first-degree burn (2 times)

- |  |  |
|--|--|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> |
| (Signature & Date)   | (Signature & Date)   |
- .11 Treat a second-degree burn (2 times)
- |  |  |
|--|--|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> |
| (Signature & Date)   | (Signature & Date)   |
- .12 Treat a third-degree burn (2 times)
- |  |  |
|--|--|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> |
| (Signature & Date)   | (Signature & Date)   |
- .13 Demonstrate rescue breathing techniques (2 times)
- |  |  |
|--|--|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> |
| (Signature & Date)   | (Signature & Date)   |
- .14 Locate designated first aid boxes (2 times)
- |  |  |
|--|--|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> |
| (Signature & Date)   | (Signature & Date)   |

**Basic First Aid (con't)**

- .15 Locate battle dressing stations (2 times)

<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/>	<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/>
(Signature & Date)	(Signature & Date)

**302.3 INFREQUENT TASKS**

For the infrequent tasks listed below:

- A. What are the steps of this procedure?
- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communications are used?
- E. What safety precautions must be observed?
- F. What conditions require this infrequent task?
- G. Perform or simulate this task IAW applicable Ops.

- 302.3.1 Place a personnel casualty in a Stokes stretcher (2 times)

<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/>	<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/>
(Signature & Date)	(Signature & Date)

- .2 Place a personnel casualty in a Miller Body Board stretcher (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .3 Rescue victim from an energized circuit (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .4 Rescue victim from a smoke filled compartment (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .5 Heimlich maneuver (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .6 Control hemorrhage by tourniquet (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

302.4 ABNORMAL CONDITIONS - None to be discussed.

302.5 EMERGENCIES

For the emergency condition listed below:

A. What indications and alarms are received?

B. What immediate action is required?

C. What are the probable causes?

D. What operating limitations are imposed?

### **Basic First Aid (con't)**

E. What other emergencies or malfunctions may occur if immediate action is not taken?

F. What follow-up action is required?

G. Perform or simulate the immediate action for this Emergency Condition.

302.5.1 Unable to clear obstructed airway (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

302.6 WATCHES - None

302.7 EXAMINATIONS (Optional except as required by  
TYCOM / ISIC, ETC.)

302.7.1 EXAMINATIONS Pass a written examination

---

(Signature & Date)

.2 EXAMINATIONS Pass an oral examination board

---

(Signature & Date)

## WATCHSTATION 303

### 303 Basic Damage Control

#### 303.1 PREREQUISITES

Before starting your assigned tasks, complete the following:

##### 303.1.1 Watchstation from this PQS:

302 Basic First Aid

Completed \_\_\_\_\_  
(Qualifier & Date)

FOR OPTIMUM TRAINING EFFECTIVENESS, THE FOLLOWING PQS ITEMS SHOULD BE COMPLETED PRIOR TO STARTING YOUR ASSIGNED TASKS, BUT MUST BE COMPLETED PRIOR TO FINAL WATCHSTATION QUALIFICATION.

##### .2 Fundamentals from this PQS:

104 Basic Damage Control

Completed \_\_\_\_\_ 2pts / 2% of  
Watchstation  
(Qualifier & Date)

102 Damage Control Organization

Completed \_\_\_\_\_ 2 pts / 2% of  
Watchstation  
(Qualifier & Date)

##### .3 Systems from this PQS:

202 Emergency Escape Breathing Device (EEBD) /  
Supplementary Emergency Egress Device  
(SEED)System

Completed \_\_\_\_\_ 2pts / 2% of  
Watchstation  
(Qualifier & Date)

210 Firemain

Completed \_\_\_\_\_ 2pts / 2% of  
Watchstation  
(Qualifier & Date)

211 Ventilation

Completed\_\_\_\_\_ 2pts / 2% of  
Watchstation  
(Qualifier & Date)

216 Dewatering Equipment / Pumps

Completed\_\_\_\_\_ 2pts / 2% of  
Watchstation  
(Qualifier & Date)

### **Basic Damage Control (con't)**

#### 303.2 Tasks

For the tasks listed below:

- A. What are the steps of this procedure?
- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communication are used?
- E. What safety precautions must be observed?
- F. What parameters / operating limits must be monitored?
- G. Perform this task IAW 61-D and / or NSTM, ch.079 (V2)

#### 303.2.1 Open and close deck drains

\_\_\_\_\_  
(Signature & Date)

#### .2 Open and Close overboard discharge fittings

\_\_\_\_\_  
(Signature & Date)

#### .3 Use emergency escape routes from berthing and working spaces while wearing a blindfold

\_\_\_\_\_  
(Signature & Date)

#### .4 Demonstrate proper procedures for reporting emergencies (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

#### .5 Demonstrate proper battle dress

\_\_\_\_\_  
(Signature & Date)

- .6 Obtain, check, and don an EEBD (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .7 Obtain, check, and don a supplementary SEED (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

- .8 Transit to assigned repair locker using proper traffic routes

\_\_\_\_\_  
(Signature & Date)

- .9 Locate vital piping system / isolation valves in assigned areas (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

### **Basic Damage Control (con't)**

- .10 Isolate Fire Main System piping as directed by Repair Party Leader / controlling station

\_\_\_\_\_  
(Signature & Date)

- .11 Set and maintain flooding boundaries

\_\_\_\_\_  
(Signature & Date)

303.3 INFREQUENT TASKS - None

303.4 ABNORMAL CONDITIONS

For the abnormal conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. For the abnormal condition listed below:
- E. How does this condition affect other operations / equipment / watchstation?

F. Perform or simulate the corrective / immediate action for this abnormal condition IAW applicable Ops

303.4.1 Improperly stowed materials and equipment

---

(Signature & Date)

303.5 EMERGENCIES

For the emergency conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. What operating limitations are imposed?
- E. What other emergencies or malfunctions may occur if immediate action is not taken?
- F. How does this condition affect other operations / equipment / watchstations?
- G. What follow-up action is required?
- H. Perform or simulate the immediate action for this emergency condition.

303.5.1 Presence of unusual odors or vapors

---

(Signature & Date)

.2 Ruptured pipes / flooding

---

(Signature & Date)

### **Basic Damage Control (con't)**

.3 Progressive Flooding

---

(Signature & Date)

.4 Failed isolation valves

---

(Signature & Date)

.5 Isolation results in loss of fire fighting water



(Signature & Date)

303.6 WATCHES

Stand the following watches under qualified  
Supervision:

303.6.1 Messenger (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.2 Plotter (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

303.7 EXAMINATIONS (Optional except as required by TYCOM /  
ISIC,  
ETC.)

303.7.1 EXAMINATIONS Pass a written examination

\_\_\_\_\_  
(Signature & Date)

.2 EXAMINATIONS Pass an oral examination

\_\_\_\_\_  
(Signature & Date)

## WATCHSTATION 304

### 304 Basic Fire Fighting

#### 304.1 PREREQUISITES

Before starting your assigned tasks, complete the following:

##### 304.1.1 Watchstation from this PQS:

303 Basic Damage Control

Completed \_\_\_\_\_  
(Qualifier & Date)

FOR OPTIMUM TRAINING EFFECTIVENESS, FOLLOW THE  
PQS ITEMS  
SHOULD BE COMPLETED PRIOR TO STARTING YOUR  
ASSIGNED TASKS, BUT MUST BE COMPLETED PRIOR TO  
FINAL WATCHSTATION QUALIFICATION.

##### .2 Fundamental from this PQS:

103 Fire Fighting

Completed \_\_\_\_\_  
(Qualifier & Date)

##### .3 Systems from this PQS:

203 Oxygen Breathing Apparatus (OBA)

Completed \_\_\_\_\_  
(Qualifier & Date)

204 Personnel Protective Clothing Equipment

Completed \_\_\_\_\_  
(Qualifier & Date)

206 Portable Fire Fighting Equipment

Completed \_\_\_\_\_  
(Qualifier & Date)

207 Portable Damage Control Equipment

Completed \_\_\_\_\_  
(Qualifier & Date)

208 Installed Fire Extinguishing

Completed\_\_\_\_\_

(Qualifier & Date)

211 Access / Overhaul Equipment

Completed\_\_\_\_\_

(Qualifier & Date)

## **Basic Fire Fighting (con't)**

### 304.2 TASKS:

For the tasks listed below:

- A. What are the steps of this procedure?
- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communications are used?
- E. What safety precautions must be observed?
- F. What parameters / operating limits must be monitored?
- G. Perform this task.
- H. Read and review applicable TYCOM's Damage Control Repair Party Manual Notebook.

#### 304.2.1 Don proper battle dress (2 times)

_____	_____
(Signature & Date)	(Signature & Date)

#### .2 Don FFE (2 times)

_____	_____
(Signature & Date)	(Signature & Date)

#### .3 Obtain and inspect SCBA (2 times)

_____	_____
(Signature & Date)	(Signature & Date)

#### .4 Don and activate SCBA using Regulatory Valve (2 times)

_____	_____
(Signature & Date)	(Signature & Date)

#### .5 Clean and Restow SCBA(2 times)

- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .6 Inspect, lay out, and charge fire hose (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .7 Operate fire fighting nozzles (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .8 Maneuver hoses up and down ladders (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|

### **Basic Fire Fighting (con't)**

Locate and demonstrate the ability to activate the following installed equipment: (.11 - .17)

- .9 Freshwater Sprinkling System / Saltwater Sprinkling System

- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .10 Range Guard Extinguishing System (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .11 Smoke curtains (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .12 Smoke blankets (2 times)
- |                             |                             |
|-----------------------------|-----------------------------|
| _____<br>(Signature & Date) | _____<br>(Signature & Date) |
|-----------------------------|-----------------------------|
- .13 Portable desmoking, medium capacity, fan (box fan)

(2 times)

---

(Signature & Date)

---

(Signature & Date)

.13 Portable CO2 extinguisher (2 times)

---

(Signature & Date)

---

(Signature & Date)

.14 Portable ABC extinguisher (2 times)

---

(Signature & Date)

---

(Signature & Date)

.15 Portable PKP (2 times)

---

(Signature & Date)

---

(Signature & Date)

.16 Overhaul equipment

---

(Signature & Date)

---

(Signature & Date)

.17 Portable Water (2 times)

---

(Signature & Date)

---

(Signature & Date)

## **Basic Fire Fighting (con't)**

Demonstrate the ability to set and maintain the following:

.18 Fire boundaries (2 times)

---

(Signature & Date)

---

(Signature & Date)

### **304.3 INFREQUENT TASKS**

For the infrequent tasks listed below:

A. What are the steps for this procedure?

- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communications are used?
- E. What safety precautions must be observed?
- F. What conditions require this infrequent?
- G. Perform or simulate this task IAW proper procedures.

304.3.1 Venting compartments

---

(Signature & Date)

.2 Relieve nozzle position on active hose (2 times)

---

(Signature & Date)

---

(Signature & Date)

.3 Utilize special fittings, for example, wye-gate or tri-gate

---

(Signature & Date)

.4 Rig portable desmoking equipment inside fire / smoke  
Boundaries (2 times)

---

(Signature & Date)

---

(Signature & Date)

304.4 ABNORMAL CONDITIONS

For the abnormal conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. What operating limitations are imposed?
- E. How does this condition affect other operations / equipment / watchstation?
- F. Perform or simulate the corrective / immediate action for this abnormal condition.

**Basic Fire Fighting (con't)**

304.4.1 Leaking of SCBA facepiece

---

(Signature & Date)

.2 Lack of air from SCBA tank

---

(Signature & Date)

.3 Loss of electrical power

---

(Signature & Date)

.4 Improperly stowed hazardous / combustibile  
materials

---

(Signature & Date)

.5 Replace ruptured hose

---

(Signature & Date)

.6 Clogged vari-nozzle

---

(Signature & Date)

#### 304.5 EMERGENCIES

For the emergency conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. What operating limitations are imposed?
- E. What other emergencies or malfunctions may occur if immediate action is not taken?
- F. How does this condition affect other operations / equipment / watchstations?
- G. What follow-up action s required?
- H. Perform or simulate the immediate action for this emergency condition.

304.5.1 Smoke / fire

---

(Signature & Date)

.2 Fire reflash

---

(Signature & Date)

### **Basic Fire Fighting (con't)**

.3 Ruptured hose

---

(Signature & Date)

.4 Wild hose

---

(Signature & Date)

.5 Loss of fire main pressure

---

(Signature & Date)

.6 Loss of fire boundaries

---

(Signature & Date)

.7 Class A fire

---

(Signature & Date)

.8 Class B fire

---

(Signature & Date)

.9 Class C fire

---

(Signature & Date)

.10 Class D fire

---

(Signature & Date)

304.6 WATCHES



Stand the following watches under qualified supervision:

304.6.1 Hoseman (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.2 Plugman (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.3 Boundryman (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

### **Basic Fire Fighting (con't)**

.4 Accessman (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.5 Overhaulman (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.6 Smoke Control (2 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

304.7 EXAMINATIONS (Optional except as required  
by TYCOM /  
ISIC, ETC.)

304.7.1 EXAMINATIONS Pass a written examination

\_\_\_\_\_  
(Signature & Date)

.2 EXAMINATIONS Pass an oral examination board

\_\_\_\_\_  
(Signature & Date)

## WATCHSTATION 305

### 305 Fire Watch

#### 305.1 PREREQUISITES

Before starting your assigned tasks, complete the following:

##### 305.1.1 WATCHSTATION FROM THIS PQS:

304 Basic Fire Fighting

FOR OPTIMUM TRAINING EFFECTIVENESS, THE FOLLOWING PQS ITEMS SHOULD BE COMPLETED PRIOR TO STARTING YOUR ASSIGNED TASKS, BUT MUST BE COMPLETED PRIOR TO FINAL WATCHSTATION QUALIFICATION.

##### .2 Fundamental from this PQS:

109 Fire Watch

Completed \_\_\_\_\_  
(Qualifier & Date)

#### 305.2 TASKS:

For the tasks listed below:

- A. What are the steps for this procedure?
- B. What are the reasons for each step?
- C. What control / coordination is required?
- D. What means of communications are used?
- E. What safety precautions must be observed?
- F. What parameters / operating limits must be monitored?
- G. Perform this task IAW ship's instruction.

##### 305.2.1 Muster, obtain, and inspect equipment (3 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

##### .2 Set up communications between Fire Watch and Officer of the Deck / D.C. Central (3 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

Fire Watch

.3 Maintain surveillance over hot work area (3  
times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

.4 Inspect and return Fire Watch equipment (3 times)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

\_\_\_\_\_  
(Signature & Date)

305.3 INFREQUENT TASKS - None to be discussed.

305.4 ABNORMAL CONDITIONS - None to be discussed.

305.5 EMERGENCIES

For the emergency conditions listed below:

- A. What indications and alarms are received?
- B. What immediate action is required?
- C. What are the probable causes?
- D. What operating limitations are imposed?
- E. What other emergencies or malfunctions may occur if immediate action is not taken?
- F. How does this condition affect other operations / equipment / watchstation?
- G. What follow-up action is required?
- H. Perform or simulate the immediate action for this emergency action.

305.5.1 Fire

\_\_\_\_\_  
(Signature & Date)

.2 Reflash

---

(Signature & Date)

.3 Smoke

---

(Signature & Date)

.4 Loss of communications

---

(Signature & Date)

### **Fire Watch (con't)**

.5 Fire extinguishing equipment malfunctions

---

(Signature & Date)

### 305.6 WATCHES

Stand the following watches under qualified supervision:

305.6.1 Fire Watch (3 times)

---

(Signature & Date)

---

(Signature & Date)

---

(Signature & Date)

305.7 EXAMINATIONS (Optional except as required  
by TYCOM /  
ISIC, ETC.)

205.7.1 EXAMINATIONS Pass a written examination

---

(Signature & Date)

.2 EXAMINATIONS Pass an oral examination board

---

(Signature & Date)

